**★** 密 Air



仅限货机 CAO





## 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

## 危险品

样品名称: 可充式锂离子电芯 INR21700/50E 3.65V 5.0Ah

Sample name: Rechargeable Li-ion Cell INR21700/50E 3.65V 5.0Ah

委托单位:

惠州亿纬锂能股份有限公司
EVE Energy Co., Ltd.

生产单位: 惠州亿纬锂能股份有限公司

EVE Energy Co., Ltd.









## 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

样品/ Sample		中文 Chinese		21700/50E 3.65V 5.0Ah			
		英文 English	Rechargeable Li-ion	Cell INR21700/50E 3.65V	5. 0Ah		
委托单位 Applicant			惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd.				
生产单位 Manufacturer			惠州亿纬锂能股份有限公司 EVE Energy Co., Ltd.				
检验方法、程序			国际航空运输协会《危险品规则》65版 IATA Dangerous Goods Regulations (DGR) 65th Edition				
样品外观 Sample appearance			灰色塑料薄膜外壳 Gray Plastic film shell				
包装件信息 Package information			锂电池总净重≤10kg。 Lithium batteries total net weight≤10kg.				
序号		电池种类 Pottony type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity
NO.	Battery type 可充电锂离子电池芯 Rechargeable Li-ion cell		INR21700/50E	7個各量LI content 5. 0Ah/18. 25Wh	电池单独运输 Battery only	0. 0675	130
※ 定 给 论	I DENTI FI CATI ON CONCL US	Miscellaneous.  2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR) Shipping Name:Lithium ion batteries Class or Division:9 UN Number:UN3480  3. 包装要求(Packaging requirements) 按包装说明965第IB部分要求办理。					
		The article is pa 又限货机 Cargo Aircraft On <b>检验日期:</b> Inspection Date	nly 2023-12-12 <b>签发</b> 目	2023-12-12	en 965 section IB. 生效日期: 202 Effective Date:	1-0600000000000000000000000000000000000	超過 由限公司
备泊	È					(35)	用草

批准 主星

审核 音学社 Checker: 主检 Appraiser:

我也妈



## 运输危险性鉴定书

34

die.

Hazard Classification and Identification Report for Transport of Goods

NO. 212400609651768 Page 2/3


序号 No.	检验结果及其他事项 Inspection results and other things
Cot to	本鉴定书所述锂电池按照《危险品规则》(65版) 3.9.2.6.1(e)规定的质量管理体系进行制造。本鉴定书所述锂电池不属于因安全原因召回的锂电池。本鉴定书所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 65th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。包装件能够承受《危险品规则》包装说明965 IB中所要求的堆码试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. The package has passed the stacking test required in P1 965 IB of DGR. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812300600682330 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	锂电池完全封装在内包装内,位于坚固的刚性外包装中。 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging. Cells and batteries are properly protected to prevent short circuits.
4	按DCR 1B部分托运的电池必须根据第8部分规定在托运人申报单中描述;并且当使用航空货运单时,货运单必须包含8.2.1和8.2.2中相关适用要求。 Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.
5	除使用9类锂电池危险性标签(DGRINT.3.X)外,每个包装件必须按DGRINT.1.C所示做耐久清晰的标记。注: 63版DGRINT.1.C所示锂电池标记可维续使用至2026年12月31日。每个包装件必须按DGRT.1.4.1(a)和(b)要求标记,此外当7.1.4.1(c)有要求时还必须标明包装件净重。每个包装件必须贴有"仅限货机"标签(DGRINT.4.B)。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery hazard label (Figure 7.3.X in IATA DGR). Note: The mark illustrated in Figure 7.1.C of the 63rd edition of DGR may continue to be used until 31 December 2026. Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package. Each package must be labelled with the "Cargo Aircraft Only" label (Figure 7.4.B in IATA DGR).
6	根据委托单位声明,本鉴定书所述锂离子电池交付运输时,其荷电状态必须不超过额定容量的30%。 According to the statement of the applicant, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.
7	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).
	- N\$ if 55 : 466598-

-验证码:466598-

NO. 212400609651768

Page 3/3

Hazard Classification and Identification Report for Transport of Goods



\*\*\*报告结束\*\*\*

